


Abrasive paper, self-fastening (Hook & Loop)

PS 22 K



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	E-paper

Product benefit

Universal abrasive disc for metalworking and woodworking - Uniform surface scratch pattern - Available in many grit sizes and dimensions

Application

Wood	●
Metals	●
Stainless steel	○
Paint/Varnish/Filler	○
Plastic	○

Applications

- ▶ Paint shops
- ▶ Plastics processing industry
- ▶ Wood processing industry

Available grits:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Diameter	grain	Hole pattern	type of coat.abras.	Article number
4-1/2	24	○ 0	PS 22 K	6754
4-1/2	40	○ 0	PS 22 K	2785
4-1/2	60	○ 0	PS 22 K	2786
4-1/2	80	○ 0	PS 22 K	6756
4-1/2	100	○ 0	PS 22 K	2787
4-1/2	120	○ 0	PS 22 K	6757

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany
 Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186
 sales@klingspor.de - www.klingspor.de



Diameter	grain	Hole pattern	type of coat.abras.	Article number
4-1/2	150	○ 0	PS 22 K	80046
4-1/2	220	○ 0	PS 22 K	88330
4-1/2	240	○ 0	PS 22 K	88333
5	24	○ 0	PS 22 K	7300
5	40	○ 0	PS 22 K	2294
5	60	○ 0	PS 22 K	2295
5	80	○ 0	PS 22 K	6774
5	100	○ 0	PS 22 K	2296
5	120	○ 0	PS 22 K	6775
5	150	○ 0	PS 22 K	78163
5	180	○ 0	PS 22 K	62107
5	220	○ 0	PS 22 K	97176
5	240	○ 0	PS 22 K	91922
5	320	○ 0	PS 22 K	93284
5	40	⊗ GLS 5	PS 22 K	89486
5	60	⊗ GLS 5	PS 22 K	89488
5	80	⊗ GLS 5	PS 22 K	89489
5	100	⊗ GLS 5	PS 22 K	89491
5	120	⊗ GLS 5	PS 22 K	89493
5	150	⊗ GLS 5	PS 22 K	89494
5	180	⊗ GLS 5	PS 22 K	89495
5	220	⊗ GLS 5	PS 22 K	90758
5	240	⊗ GLS 5	PS 22 K	92753
5	320	⊗ GLS 5	PS 22 K	89496
5	400	⊗ GLS 5	PS 22 K	104778
5	40	⊗ GLS 27	PS 22 K	260795
5	60	⊗ GLS 27	PS 22 K	260796
5	80	⊗ GLS 27	PS 22 K	260797
5	100	⊗ GLS 27	PS 22 K	260798
5	120	⊗ GLS 27	PS 22 K	260799
5	150	⊗ GLS 27	PS 22 K	260800
5	180	⊗ GLS 27	PS 22 K	260801
5	240	⊗ GLS 27	PS 22 K	260802
6	40	○ 0	PS 22 K	20207
6	60	○ 0	PS 22 K	6649
6	80	○ 0	PS 22 K	6936

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany

Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186

sales@klingspor.de - www.klingspor.de



Diameter	grain	Hole pattern	type of coat.abras.	Article number
6	100	○ 0	PS 22 K	6697
6	120	○ 0	PS 22 K	6937
6	150	○ 0	PS 22 K	71140
6	180	○ 0	PS 22 K	4022
6	220	○ 0	PS 22 K	93324
6	240	○ 0	PS 22 K	91605
6	320	○ 0	PS 22 K	91721
6	400	○ 0	PS 22 K	129092
6	24	⊗ GLS 1	PS 22 K	6516
6	40	⊗ GLS 1	PS 22 K	6520
6	60	⊗ GLS 1	PS 22 K	6523
6	80	⊗ GLS 1	PS 22 K	6524
6	100	⊗ GLS 1	PS 22 K	6525
6	120	⊗ GLS 1	PS 22 K	6526
6	150	⊗ GLS 1	PS 22 K	80722
6	180	⊗ GLS 1	PS 22 K	6611
6	220	⊗ GLS 1	PS 22 K	98990
6	240	⊗ GLS 1	PS 22 K	89451
6	320	⊗ GLS 1	PS 22 K	89450
6	400	⊗ GLS 1	PS 22 K	129389
6	40	⊙ GLS 2	PS 22 K	74088
6	60	⊙ GLS 2	PS 22 K	72633
6	80	⊙ GLS 2	PS 22 K	72632
6	100	⊙ GLS 2	PS 22 K	73490
6	120	⊙ GLS 2	PS 22 K	72628
6	150	⊙ GLS 2	PS 22 K	79862
6	180	⊙ GLS 2	PS 22 K	72624
6	240	⊙ GLS 2	PS 22 K	91814
6	40	⊚ GLS 3	PS 22 K	89181
6	60	⊚ GLS 3	PS 22 K	86634
6	80	⊚ GLS 3	PS 22 K	86635
6	100	⊚ GLS 3	PS 22 K	97072
6	120	⊚ GLS 3	PS 22 K	86636
6	150	⊚ GLS 3	PS 22 K	86637
6	180	⊚ GLS 3	PS 22 K	87528
6	220	⊚ GLS 3	PS 22 K	100157

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany

Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186

sales@klingspor.de - www.klingspor.de



Diameter	grain	Hole pattern	type of coat.abras.	Article number
6	240	☺ GLS 3	PS 22 K	97778
6	320	☺ GLS 3	PS 22 K	97779
6	400	☺ GLS 3	PS 22 K	128356
6	40	☼ GLS 74	PS 22 K	342419
6	60	☼ GLS 74	PS 22 K	342418
6	80	☼ GLS 74	PS 22 K	340766
6	100	☼ GLS 74	PS 22 K	342423
6	120	☼ GLS 74	PS 22 K	342159
6	150	☼ GLS 74	PS 22 K	342422
6	180	☼ GLS 74	PS 22 K	342421
6	240	☼ GLS 74	PS 22 K	340761

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany

Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186

sales@klingspor.de - www.klingspor.de

